

NEW COVENANT IN FAITH CHRISTIAN CHURCH, A 7105001500

METRO GOVERNMENT S HAYNES 7105003100

> SIDEWALK AND FURNISHING ZONE **DRIVING LANES AND CENTER LANE-**

BIKE LANE, CURB AND GUTTER

MANNING FAMILY PARTNERS, L.P. 7101007000

BLOCK CASANOVA, JUAN CARLOS & VALVERDE LORELI 7101006900

Parking: Provided per zoning code. Based on 30% 2bdrm, 70% 1bdrm = 182 bdrm / 182

shall be allowed, where needed, to accomodate site grade change. Parking: Provided per zoning code within attached garages / 2 spaces per unit / 40

Height Maximum: 2 stories, 35' on public street face. A third, exposed basement level shall be allowed, where needed, to accomodate site grade change.

Total Block 2 Parking provided: approximately 187 surface parking, plus 60 attached

Uses allowed: to match RM20, plus non-commercial community gardening

Height Maximum: 2 stories, 35' on public street face. A third, exposed basement level shall be allowed, where needed, to accomodate site grade change. Parking: Provided per zoning code within attached garages or immediately adjacent

Uses allowed: to match RM20, plus non-commercial community gardening

shall be allowed, where needed, to accomodate site grade change. Parking: Provided per zoning code within attached garages / 2 spaces per unit / 12

Parking: No parking is permitted between the primary structure and street. Hard surfaces for vehicular access shall be limited to 16 feet. 2 spaces per unit / 22

Total Block 3 Parking provided: approximately 61 surface parking, plus 114 attached

MOSS INVESTMENTS 7101001500

ARCHITECTURE

THE FINAL BUILDING ELEVATIONS SHALL BE SUBMITTED WITH THE FINAL SITE PLAN AND SHALL BE CONSISTENT WITH THE FOLLOWING ARCHITECTURAL STANDARDS:

A. STOREFRONTS, RESTAURANTS, AND OFFICES SHALL BE ACTIVATED FROM AND FRONT ONTO TRINITY LANE OR OLD MATTHEWS ROAD.

- B. MIXED USE BUILDINGS SHALL PROVIDE ACCESS VIA GLAZED DOORS FROM
- BOTH THE FRONT AND REAR OF THE STRUCTURE. C. FOR MIXED USE BUILDINGS ALONG TRINITY LANE, GROUND FLOORS SHALL INCLUDE A MINIMUM OF 40% GLAZING; ADDITIONAL STORIES SHALL INCLUDE A MINIMUM OF 25% GLAZING.
- D. THE MINIMUM GROUND FLOOR HEIGHT FOR EACH MIXED USED BUILDING SHALL BE 14'-0".
- E. ANY CORNER UNIT/BUILDING SHALL ADDRESS BOTH CORNERS; THIS SHALL BE ACCOMPLISHED VIA WRAP AROUND PORCHES, WINDOWS, BAY WINDOWS, OR OTHER FAÇADE PROJECTIONS.
- F. FOR TOWNHOMES, COTTAGES AND SINGLE FAMILY HOMES
- 1. BUILDING FACADES FACING A STREET, PROVIDE ONE PRINCIPAL ENTRANCE AND A MINIMUM OF 25% GLAZING.
- 2. WINDOWS SHALL BE VERTICALLY ORIENTED AT A RATIO OF 1:5;1 OR GREATER, EXCEPT FOR DORMERS OR EGRESS WINDOWS.
- 3. PORCHES SHALL PROVIDE A MINIMUM DEPTH OF SIX FEET. 4. A RAISED FOUNDATION WILL BE PROVIDED FOR A 2'-0" MINIMUM AND
- 5'-0" MAXIMUM HEIGHT ABOVE THE GRADE FOR THE FRONT FAÇADE. G. PROHIBITED MATERIALS: VINYL SIDING AND EIFS (EXTERIOR INSULATED FINISH SYSTEM) IS PROHIBITED ON ALL FACADES. UNCOATED CHAINLINK
- FENCING IS PROHIBITED.
- H. ALLOWED MATERIALS SHALL INCLUDE, BUT NOT BE LIMITED TO, FIBER CEMENTIOUS SIDING/PANELS, BRICK, STONE, CMU BLOCK AND CONCRETE FOR FOUNDATIONS, AND ARCHITECTURAL SHINGLES OR METAL FOR DECORATIVE SIDING OR SLOPED ROOFING.
- I. AWNINGS: FIRST FLOOR CANOPIES/AWNINGS ARE APPROPRIATE AT BUILDING ENTRANCES AND ABOVE STROEFRONTS AND SHALL NOT BE OF PLASTIC MATERIAL, NOR SHOULD THEY BE TRANSPARENT OR INTERNALLY ILLUMINATED.
- **ENCROACHMENTS** EXPOSED, COVERED, OR ENCLOSED PORCHES AND DECKS MAY EXTEND INTO FRONT, SIDE AND BACK SETBACKS OR COMMON SPACE NOT EXCEEDING 6FT INTO COMMON SPACE OR 3FT FROM PRIVATE LOT PROPERTY LINES. FRONT
- SETBACK ENCROACHMENTS ARE NOT PERMITTED ALONG OLD MATHEWS ROAD. REFER TO MUNICODE 17.12.040: OTHER SETBACKS FOR ALL OTHER ALLOWABLE ENCROACHMENTS NOT IDENTIFIED ABOVE.

PARKING FINAL PARKING COUNT SHALL BE SUBJECT TO METRO ZONING PARKING REQUIREMENTS.

> JAKES, KENNETH L 7101001300

LANDSCAPE


METRO ZONING CODE CHAPTER 17.24 ARTICLE II: TREE PROTECTION AND RFPI ACFMENT. AND WITH CHAPTER 17.40 ARTICLE X: TREE PROTECTION AND REPLACEMENT PROCEDURES. DETAILED LANDSCAPE ORDINANCE PLAN TO BE SUBMITTED WITH THE FINAL SP SUBMITTAL.

SOIL CLASSIFICATIONS BARFIELD ROCK OUTCROP COMPLEX (5-20% SLOPES)

ROADWAY CLASSIFICATIONS TRINITY LANE: T3-M-AB5 OLD MATHEWS ROAD: T3-R-CA2 TONEY ROAD: LOCAL STREET

GROUP, LLC AND DATED APRIL 2016

WILLIAM H. & SUSIE .



ZAI'MAH, ABDUR & MARY 7101005400 ZAI'MAH, ABDUR-RAHIM ET UX 7101005<u>500</u>

BLOCK 2


-5.66 ACRES


YOKLEY, CLEVE ETUX

SUCCESSFUL

7101005800

ROBERTS, DAYA/R. 7101017900





.

.